TRADELINK LLP

CONNECTING MARKETS CREATING GROWTH

OPTIMUS SERIES

MATT & RUSTIC FINISH — 600 x 600 MM GLAZED VITRIFIED TILES

PRODUCT CATALOGUE 2025 - 2026

DRC TRADELINK LLP

Connecting Markets • Creating Growth

OPTIMUS

SERIES

MATT & RUSTIC FINISH

TRADELINK LLP

CONNECTING MARKETS CREATING GROWTH



600x600mm

GLAZED VITRIFIED TILES

TRADELINK LLP
CONNECTING MARKETS CREATING GROWTH


600X
600MM

GLAZED VITRIFIED TILES

BOLD & TIMELESS

IN 600x600mm

Elevate your interiors with the timeless allure of our Optimus Series. Each tile shimmers with clarity and precision, transforming spaces into statements of pure sophistication and refined luxury.



FEATURE & APPLICATION



TRADELINK LLP
CONNECTING MARKETS CREATING GROWTH

FEATURE

- Long Lasting
- Easy to Clean
- Impact Resistance
- Easy Installation
- Hygienic Surface
- Fire Resistance
- Chemical Resistance
- Thermal Shock Resistance
- Frost Resistance
- Low Water Absorption
- Dimensional Stability

APPLICATION

- Residential
- Corporate Building
- Hotels, Cafes & Restaurants
- Industrial
- Hospitals
- Airports
- Schools & Colleges
- Spas & Wellness Centers
- Gymnasium
- Halls & Corridors
- Supermarkets & Malls
- Religious Places

INDEX

ELEGANCE IN EVERY DETAI

Discover the timeless beauty of the Optimus Series. Designed to mimic the luxurious charm of natu
punch, these 600x600mm tiles blend sophistication with durability. Perfect for modern interiors, they bring
a refined touch to any space.

TRADELINK LLP
CONNECTING MARKETS CREATING GROWTH


PLANET PEARL


PLANET GREY


PLANET SKY


PLANET AZURE


PLANET LIGHT MINT


PLANET MINT


PLANET PISTACHIO


PLANET OLIVE


MOSSCOW SKY


MOSSCOW AZURE


MOSSCOW SILVER


MOSSCOW DIM GREY


MOSSCOW LIGHT MINT


MOSSCOW MINT


MOSSCOW PISTACHO


MOSSCOW OLIVE


MOSSCOW TAN


MOSSCOW WHEAT


MOSSCOW VANILLA


MOSSCOW TOFFEE

TRADELINK LLP

MUS SERIES

Size:
600x600mm

Finish:
MATT FINISH



PLANET PEARL

TRADELINK LLP


MUS SERIES

Size:
600x600mm

Finish:
MATT FINISH



PLANET GREY



TRADELINK LLP

MUS SERIES

Size:
600x600mm

Finish:
MATT FINISH



PLANET SKY

TRADELINK LLP


MUS SERIES

Size:
600x600mm

Finish:
MATT FINISH



PLANET AZURE



TRADELINK LLP


MUS SERIES

Size:
600x600mm

Finish:
MATT FINISH



PLANET LIGHT MINT



TRADELINK LLP


MUS SERIES

Size:
600x600mm

Finish:
MATT FINISH



PLANET MINT



TRADELINK LLP

MUS SERIES

Size:
600x600mm

Finish:
MATT FINISH



PLANET PISTACHIO

TRADELINK LLP


MUS SERIES

Size:
600x600mm

Finish:
MATT FINISH



PLANET OLIVE




TRADELINK LLP

600x600mm
GLAZED VITRIFIED TILES

Discover

Punch-In Perfection

Step into a world where innovation meets elegance. Our punch-in tile collection offers effortless installation, precise alignment, and a flawless finish—designed for those who demand both style and simplicity.



TRADELINK LLP


MUS SERIES

Size:
600x600mm

Finish:
RUSTIC FINISH



MOSSCOW SKY





ZOOM VIEW


MUS SERIES

Size:
600x600mm

Finish:
RUSTIC FINISH



MOSSCOW AZURE





ZOOM VIEW

TRADELINK LLP

MUS SERIES

Size:
600x600mm

Finish:
RUSTIC FINISH



MOSSCOW SILVER



ZOOM VIEW

TRADELINK LLP


MUS SERIES


Size:
600x600mm

Finish:
RUSTIC FINISH



MOSSCOW DIM GREY





ZOOM VIEW

TRADELINK LLP


MUS SERIES

Size:
600x600mm

Finish:
RUSTIC FINISH



MOSSCOW LIGHT MINT






ZOOM VIEW

TRADELINK LLP


MUS SERIES

Size:
600x600mm

Finish:
RUSTIC FINISH



MOSSCOW MINT





ZOOM VIEW

TRADELINK LLP


MUS SERIES


Size:
600x600mm

Finish:
RUSTIC FINISH



MOSSCOW PISTACHO





ZOOM VIEW

TRADELINK LLP


MUS SERIES

Size:
600x600mm

Finish:
RUSTIC FINISH



MOSSCOW OLIVE





ZOOM VIEW

TRADELINK LLP


MUS SERIES

Size:
600x600mm

Finish:
RUSTIC FINISH



MOSSCOW TAN



ZOOM VIEW

TRADELINK LLP


MUS SERIES

Size:
600x600mm

Finish:
RUSTIC FINISH



MOSSCOW WHEAT





ZOOM VIEW

TRADELINK LLP


MUS SERIES

Size:
600x600mm

Finish:
RUSTIC FINISH



MOSSCOW VANILLA





ZOOM VIEW

TRADELINK LLP


MUS SERIES

Size:
600x600mm

Finish:
RUSTIC FINISH



MOSSCOW TOFFEE





ZOOM VIEW


VARIATION GUIDE

TRADELINK LLP
CONNECTING MARKETS CREATING GROWTH

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made Ceramic tiles to resemble and look authentically identical to natural materials (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between the tow.

Recognizing this situation, it is necessary to be informed on the grade of Design & Pattern variation that is expected form these products. as a general reference the Design & Pattern guide below classifies a scale of ranges according to the degree of the variation.



V1 Uniform Appearance | V2 Slight Variation | V3 Moderate Variation | V4 Substantial Variation

THE CLASSIFICATION IS AS FOLLOW:

V1 Minimal Variation **V2** Slight Variation **V3** Random Variation **V4** Substantial Variation

---

HIGH DEFINITION IMAGE

While Laying the tiles please follow the arrow Mark on the back of the tiles For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing white any boric/talc powder

TEN COMMANDMENTS FOR LAYING TILES

1. Surface should be cleaned properly before installation.
2. Tiles should be segregated according to batch no. & manufacturing date
3. Dry fixing : lay the tiles in the desired patterns, shades and signs etc. before final laying.
4. Fixing by good quality tile-adhesive or with 1:4 cement & sand mortar.
5. Use of 2 to 5 mm SPACERS is recommended.
6. Do not use an iron hammer or some heavy material to press the tiles.
7. After 48 hours for bed curing, fill the joints with desired grouts.
8. Clean tiles with detergent powder or soap.
9. Cover the surface with plastic sheet / POP until it becomes ready for use.

TECHNICAL SPECIFICATION

TECHNICAL SPECIFICATION OF GVT

SIZE	Pcs. / Box	Coverage Area / Box
600x600mm	4 Pcs	1.44 sq. mtr.

CHARACTERISTIC	International Standards Group B1a- ISO 13006 Annx. G.	MEAN VALUE	TEST METHOD
Deviation In Length	± 0.60%	± 0.10%	ISO-10545-2
Deviation In Thickness	± 5.00%	± 4.00%	ISO-10545-2
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2
Rectangularity	± 0.60%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.50%	± 0.15%	ISO-10545-2
Surface Quality (%)	Min. 6	Min. 6	ISO-10545-2
Scratch Hardness of Surface (Moh's scale)	A minimum of 95% of the tiles shall be free from visible defects	A minimum of 95% of the tiles shall be free from visible defects	ISO-10545-2
Modulus of Rupture	> 35N/mm3	> 38N/mm2	ISO-10545-4
Breaking Strength	> 1300 N	> 1500 N	ISO-10545-4
Water Absorption	< 0.50%	< 0.50%	ISO-10545-3
Stain Resistance	Stain Resistant	Stain Resistant	ISO-10545-14
Chemical Resistance	No Damage	No Damage	ISO-10545-13
Thermal Expansion	< 9 x 10-6	< 7 x 10-6	ISO-10545-8
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
Resistance to Surface Abrasion	Manu. to State Abrasion Class	PEI class 3-5	ISO-10545-7
Bulk Density	> 2.00	> 2.20	ISO-10545-3

Note: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.